

DECLARATION OF PERFORMANCE
According with Regulation (EU) №305/2011

DECORA



ADHESIVES • PLASTERS • THERMAL INSULATION

№ 20130709-03-D

1. Unique identification code of product type:

DECORA

2. Type, batch or serial number or other element allowing identification of the construction product as required under Article 11, paragraph 4 of Regulation (EU) №305/2011:

**Mosaic acryl-polymer finishing coat
/batch number printed on the package/**

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Mosaic acryl-polymer mixture for protective and decorative coating
on exterior and interior surfaces.**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required under Article 11, paragraph 5 of Regulation (EU) №305/2011:

**TERAZID Ltd.
5 „5004” Str., Gara Iskar, Sofia 1528, Bulgaria
tel. +35929799971
e-mail: office@terazid.com**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12, paragraph 2 of Regulation (EU) №305/2011:

Not applicable.

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Regulation (EU) №305/2011 for construction products, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by harmonized standard:

BDS EN 15824 - *Specifications for external renders and internal plasters based on organic binders.*

DECLARATION OF PERFORMANCE
According with Regulation (EU) №305/2011

DECORA



ADHESIVES • PLASTERS • THERMAL INSULATION

8. Declared performance

TERAZID Ltd. 5 "5004" Str. Gara Iskar, Sofia, Bulgaria		CE
Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	A2 – s1, d0	EN 13501-1
Density	1910 kg/m ³	BDS EN 1015-6
Adhesion with the base	0.3 MPa	BDS EN 24624
Coefficient of water vapour transmission	65 g/m ² .d V ₂	BDS EN 15824
Coefficient of capillary absorption of water - c	2.65 kg/m ² .h ^{0.5} class W ₂	BDS EN 15824
pH at 20°C	7.8	BDS EN ISO 787-9
Content of volatile organic compounds /VOC/	< 40 g/l	BDS EN ISO 11890-2

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Sofia
06.01.2020

Rosen Stankov:
General Manager
TERAZID Ltd.

